

Cartesian coordinate system

From Wikipedia, the free encyclopedia
(Redirected from Cartesian coordinates)

In mathematics, the **Cartesian coordinate system** is used to determine each point uniquely in a plane through two numbers, usually called the *x-coordinate* and the *y-coordinate* of the point. To define the coordinates, two perpendicular directed lines (the *x-axis* or *abscissa* and the *y-axis* or *ordinate*), are specified, as well as the unit length, which is marked off on the two axes (see Figure 1). Cartesian coordinate systems are also used in space (where three coordinates are used) and in higher dimensions.

Using the Cartesian coordinate system geometric shapes (such as curves) can be described by algebraic equations, namely equations satisfied by the coordinates of the points lying on the shape. For example, the circle of radius 2 may be described by the equation $x^2 + y^2 = 4$ (see Figure 2).

Cartesian means relating to the French mathematician and philosopher René Descartes (latin: *Cartesius*), who, among other things, worked to merge algebra and Euclidean geometry. This work was influential in the development of analytic geometry, calculus, and cartography.

The idea of this system was developed in 1637 in two writings by Descartes. In part two of his Discourse on Method Descartes introduces the new idea of specifying the position of a point or object on a surface, using two intersecting axes as measuring guides. In *La Géométrie*, he further explores the above-mentioned concepts.

See coordinates (mathematics) for other commonly used coordinate systems such as *polar coordinates* and coordinate systems for usage of the term in advanced mathematics.

Contents

- 1 Two-dimensional coordinate system
- 2 Three-dimensional coordinate system
- 3 Orientation and "handedness"
 - 3.1 In two dimensions
 - 3.2 In three dimensions
- 4 In physics
- 5 Further notes
- 6 See also
 - 6.1 Other coordinate systems
 - 6.2 History
 - 6.3 Examples
 - 6.4 Context
- 7 References
- 8 External links

Two-dimensional coordinate system

The modern Cartesian coordinate system in two dimensions (also called a




Fig. 1 - Cartesian coordinate system. Four points are marked: (2,3) in green, (-3,1) in red, (-1.5,-2.5) in blue and (0,0), the origin, in violet.




Fig. 2 - Cartesian coordinate system with the circle of radius 2 centered at the origin marked in red. The equation of the circle is $x^2 + y^2 = 4$.

Cartesian coordinate system - Wikipedia, the free encyclopedia

Page 2 of 6

rectangular coordinate system) is commonly defined by two axes, at right angles to each other, forming a plane (an xy -plane). The horizontal axis is normally labeled x , and the vertical axis is normally labeled y . In a three dimensional coordinate system, another axis, normally labeled z , is added, providing a third dimension of space measurement. The axes are commonly defined as mutually orthogonal to each other (each at a right angle to the other). (Early systems allowed "oblique" axes, that is, axes that did not meet at right angles, and such systems are occasionally used today, although mostly as theoretical exercises.) All the points in a Cartesian coordinate system taken together form a so-called **Cartesian plane**. Equations that use the Cartesian coordinate system are called **Cartesian equations**.

The point of intersection, where the axes meet, is called the *origin* normally labeled O . The x and y axes define a plane that is referred to as the xy plane. Given each axis, choose a unit length, and mark off each unit along the axis, forming a grid. To specify a particular point on a two dimensional coordinate system, indicate the x unit first (**abscissa**), followed by the y unit (**ordinate**) in the form (x,y) , an ordered pair.




Fig. 3 - The four quadrants of a Cartesian coordinate system. The arrows on the axes indicate that they extend forever in their respective directions (i.e. infinitely).

The choice of letters comes from a convention, to use the latter part of the alphabet to indicate unknown values. In contrast, the first part of the alphabet was used to designate known values.

An example of a point P on the system is indicated in Figure 3, using the coordinate $(3,5)$.

The intersection of the two axes creates four regions, called **quadrants**, indicated by the Roman numerals I, II, III, and IV. Conventionally, the quadrants are labeled counter-clockwise starting from the upper right ("northeast") quadrant. In the first quadrant, both coordinates are positive, in the second quadrant x -coordinates are negative and y -coordinates positive, in the third quadrant both coordinates are negative and in the fourth quadrant, x -coordinates are positive and y -coordinates negative (see table below.)

Quadrant	x -values	y -values
I	> 0	> 0
II	< 0	> 0
III	< 0	< 0
IV	> 0	< 0

Three-dimensional coordinate system

The three dimensional coordinate system provides the three physical dimensions of space — height, width, and length. Figures 4 and 5, below, show two common ways of representing the three-dimensional coordinate system.

The coordinates in a three dimensional system are of the form (x,y,z) . As an example, two points are plotted in this system in Figure 4, points $P(3,0,5)$ and $Q(-5,-5,7)$. The axes are depicted in a world-coordinates orientation with the z -axis pointing up.

The x -, y -, and z -coordinates of a point can also be taken as the distances from the yz -plane, xz -plane, and xy -plane respectively. Figure 5 shows the distances of point P from the planes.

Best Available Copy




Fig. 4 - Three dimensional Cartesian coordinate system with y-axis pointing away from the observer.




Fig. 5 - Three dimensional Cartesian coordinate system with the x-axis pointing towards the observer.

The xy -, yz -, and xz -planes divide the three-dimensional space into eight subdivisions known as octants, similar to the quadrants of 2D space. While conventions have been established for the labeling of the four quadrants of the x - y plane, only the first octant of three dimensional space is labeled. It contains all of the points whose x , y , and z coordinates are positive.

Orientation and "handedness"

see also: *right-hand rule*

In two dimensions

Fixing or choosing the x -axis determines the y -axis up to direction. Namely, the y -axis is necessarily the perpendicular to the x -axis through the point marked 0 on the x -axis. But there is a choice of which of the two half lines on the perpendicular to designate as positive and which as negative. Each of these two choices determines a different orientation of the Cartesian plane. The standard way of orienting the axes, with the positive x -axis pointing right and the positive y -axis pointing up (and the x -axis being the "first" and the y -axis the "second" axis) is considered the *positive* or *standard* orientation. Rotating the coordinate system will preserve the orientation. Switching the role of x and y will reverse the orientation.

A commonly used mnemonic is the *right hand rule*. Placing a somewhat closed right hand on the plane with the thumb pointing up, the fingers point from the x -axis to the y -axis, in a positively oriented coordinate system.

In three dimensions

Once the x - and y -axes are specified, they determine the line along which the z -axis should lie, but there are two possible directions on this line. The two possible coordinate systems which result are called 'right-handed' and 'left-handed'. The standard orientation, where the xy -plane is horizontal and the z -axis points up (and the x - and the y -axis

Image:
Graphic requested.

Best Available Copy

Cartesian coordinate system - Wikipedia, the free encyclopedia

form a positively oriented two-dimensional coordinate system in the xy -plane if observed from *above* the xy -plane) is called **right-handed** or **positive**.

The name derives from the right-hand rule. If the index finger of the right hand is pointed forward, the middle finger bent inward at a right angle to it, and the thumb placed at a right angle to both, the three fingers indicate the relative directions of the x -, y -, and z -axes in a *right-handed* system. The thumb indicates the x -axis, the index finger the y -axis and the middle finger the z -axis. Conversely, if the same is done with the left hand, a left-handed system results.

Different disciplines use different variations of the coordinate systems. For example, mathematicians typically use a right-handed coordinate system with the y -axis pointing up, while engineers typically use a left-handed coordinate system with the z -axis pointing up. This has the potential to lead to confusion when engineers and mathematicians work on the same project.




Fig. 6 - The left-handed orientation is shown on the left, and the right-handed on the right.

Figure 6 is an attempt at depicting a left- and a right-handed coordinate system. Because a three-dimensional object is represented on the two-dimensional screen, distortion and ambiguity result. The axis pointing downward (and to the right) is also meant to point *towards* the observer, whereas the "middle" axis is meant to point *away* from the observer. The red circle is *parallel* to the horizontal xy -plane and indicates rotation from the x -axis to the y -axis (in both cases). Hence the red arrow passes *in front of* the z -axis.

Figure 7 is another attempt at depicting a right-handed coordinate system. Again, there is an ambiguity caused by projecting the

three-dimensional coordinate system into the plane. Many observers see Figure 7 as "flipping in and out" between a convex cube and a concave "corner". This corresponds to the two possible orientations of the coordinate system. Seeing the figure as convex gives a left-handed coordinate system. Thus the "correct" way to view Figure 7 is to imagine the x -axis as pointing *towards* the observer and thus seeing a concave corner.




Fig. 7 - The right-handed Cartesian coordinate system indicating the coordinate planes.

Best Available Copy

In physics

The above discussion applies to Cartesian coordinate systems in mathematics, where it is common to not use any units of measurement. In physics it is important to note that a dimension is simply a measure of something, and that, for each class of features to be measured, another dimension can be added. Attachment to visualizing the dimensions precludes understanding the many different dimensions that can be measured (time, mass, color, cost, etc.). Multi-dimensional objects can be calculated and manipulated algebraically.

Further notes

In analytic geometry the Cartesian coordinate system is the foundation for the algebraic manipulation of geometrical shapes. Many other coordinate systems have been developed since Descartes. One common set of systems use polar

Cartesian coordinate system - Wikipedia, the free encyclopedia

coordinates; astronomers often use spherical coordinates, a type of polar coordinate system.

It may be interesting to note that some have indicated that the master artists of the Renaissance used a grid, in the form of a wire mesh, as a tool for breaking up the component parts of their subjects they painted. That this may have influenced Descartes is merely speculative. (See perspective, projective geometry.)

See also

- List of canonical coordinate transformations
- Graph of a function
- Point plotting
- Point (geometry)
- Line (mathematics)
- Plane (mathematics)
- Complex plane
- Right-hand rule
- Orientation (mathematics)
- Regular grid
- Integer point

Other coordinate systems

- Coordinates (mathematics)
- Coordinate systems
- Polar coordinate system
- Taxicab geometry
- Curvilinear coordinates
- Hyperbolic coordinates
- Stereographic projection
- Parallel coordinates
- Geocentric coordinates

History

- René Descartes
- Discourse on Method
- La Géométrie

Examples

- Circle
- Unit circle
- Ellipse
- Hyperbola
- Parabola
- Lemniscate
- Hyperbolic spiral
- Kappa curve
- Derivation of the cartesian formula for an ellipse
- Spring (math)
- Super ellipse
- Cylinder (geometry)
- Ellipsoid

Best Available Copy

Cartesian coordinate system - Wikipedia, the free encyclopedia

Page 6 of 6

Context

RECEIVED
CENTRAL FAX CENTER

FEB 27 2007

- Ordered pair
- Analytic geometry
- Abstraction (mathematics)
- Address (geography)
- Notation system
- ISO 31-1
- Mathematics and architecture
- Graph paper

References

Descartes, René. Oscamp, Paul J. (trans). *Discourse on Method, Optics, Geometry, and Meteorology*. 2001.

External links

- Graph Paper (<http://www.pdfpad.com/graphpaper/>)
- Cartesian Coordinate System (<http://www.cut-the-knot.org/Curriculum/Calculus/Coordinates.shtml>)
- Graph Mole (<http://funbasedlearning.com/algebra/graphing/points/default.htm>)- Play Graph Mole, a free online game at FunBasedLearning.com, to learn how to plot points on the Cartesian coordinate plane.
- Interactive Cartesian Coordinates (<http://www.mathsisfun.com/graph/cartesian-coordinates-interactive.html>) from Math Is Fun

Retrieved from "http://en.wikipedia.org/wiki/Cartesian_coordinate_system"

Categories: Coordinate systems | Elementary mathematics | Dimension | René Descartes

- This page was last modified 03:05, 9 February 2007.
- All text is available under the terms of the GNU Free Documentation License. (See **Copyrights** for details.)
Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a US-registered 501(c)(3) tax-deductible nonprofit charity.

Best Available Copy